Aquaculture

VOLS. 414–415 CONTENTS 15 NOVEMBER 2013

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database Scopus®. Full text available in ScienceDirect®

Diseases

Microbial diversity in the intestine of olive flounder (*Paralichthys olivaceus*)
D.-H. Kim (Busan, Republic of Korea) and D.-y. Kim (Yeosu, Republic of Korea) 103

Biphasic control of *Argulus bengalensis* Ramakrishna (1951) (Crustacea: Branchiura) with plant derivatives
A. Banerjee and S.K. Saha (Santiniketan, India) 202

Development of a triplex loop-mediated isothermal amplification method for rapid on-site detection of three *Vibrio* species associated with fish diseases
L.-p. Yu (Qingdao, Beijing, China), Y.-h. Hu, X.-h. Zhang and B.-g. Sun (Qingdao, China) 267

Genetics

Compilation of mapping resources in turbot (*Scophthalmus maximus*): A new integrated consensus genetic map
M. Hermida, C. Bouza, C. Fernández, A.A. Sciara (Lugo, Spain), S.T. Rodríguez-Ramilo, J. Fernández (Madrid, Spain) and P. Martínez (Lugo, Spain) 19

A genetic linkage map of kelp grouper (*Epinephelus bruneus*) based on microsatellite markers
Q. Liu, T. Sakamoto, S. Kubota, N. Okamoto (Tokyo, Japan), H. Yamashita (Uwajima-shi, Japan), M. Takagi (Matsuyama, Japan), Y. Shigenobu, T. Sugaya, Y. Nakamura (Yokohama, Japan), M. Sano (Tokyo, Yokohama, Japan), S. Wuthisuthimethavee (Nakhonsithammarat, Thailand) and A. Ozaki (Mie, Japan) 63

Quantitative genetic variation of resistance against *Piscirickettsia salmonis* in Atlantic salmon (*Salmo salar*)
J.M. Yáñez (Puerto Montt, Chile), R. Bangera (Tromsø, Norway), J.P. Lhorente, M. Oyarzún (Puerto Montt, Chile) and R. Neira (Puerto Montt, Santiago, Chile) 155

Optimisation of triploidy induction in brown trout (*Salmo trutta* L.)
A.C. Preston, J.F. Taylor, B. Craig, P. Bozzolla, D.J. Penman and H. Migaud (Stirling, UK) 160

Nutrition

Different early weaning protocols in common sole (*Solea solea* L.) larvae: Implications on the performances and molecular ontogeny of digestive enzyme precursors
L. Parma, A. Bonaldo (Bologna, Italy), P. Massi (Forlí, Italy), M. Yúfera, G. Martínez-Rodríguez (Cádiz, Spain) and P.P. Gatta (Bologna, Italy) 26

The interactive effect of cobalt enrichment in *Artemia* on the survival and larval growth of barramundi, *Lates calcarifer*
M. Fehér, E. Baranyai, E. Simon, P. Bársony, I. Szűcs, J. Posta and L. Stündl (Debrecen, Hungary) 92

A non-lethal faeces collection method for Senegalese sole (*Solea senegalensis*) juveniles
H. Peres, I. Guerreiro (Porto, Portugal), A. Pérez-Jiménez (Porto, Portugal; Granada, Spain) and A. Oliva-Teles (Porto, Portugal) 100

Growth performance, biochemical indices and hepatopancreatic function of grass carp, *Ctenopharyngodon idellus*, would be impaired by dietary rapeseed meal
Q. Tan, Q. Liu, X. Chen, M. Wang and Z. Wu (Wuhan, PR China) 119

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online or http://www.elsevier.com/locate/aqua-online

0044-8486(20131115)414/415C;1-P

Available online at www.sciencedirect.com

ScienceDirect

(contents continued from back cover)

Digestibility of common feed ingredients by juvenile mulloway *Argyrosomus japonicus*
M.A. Booth, G.L. Allan (NSW, Australia) and R.P. Smullen (QLD, Australia) 140

First-limiting amino acids in soybean-based diets for white seabass *Atractoscion nobilis*
D. Jirsa (San Diego, CA, USA), G.P. Salze (Auburn, AL, USA), F.T. Barrows (Bozeman, MT, USA), D.A. Davis (Auburn, AL, USA) and M. Drawbridge (San Diego, CA, USA) 167

Interactive effects of dietary arginine and histidine on the performances of Japanese flounder *Paralichthys olivaceus* juveniles
Y. Han, S. Koshio, M. Ishikawa and S. Yokoyama (Kagoshima, Japan) 173

The effects of dietary supplement of *Spirulina platensis* on blood carotenoid concentration and fillet color stability in rainbow trout (*Oncorhynchus mykiss*)
M. Teimouri, A.K. Amirkolaie and S. Yeganeh (Sari, Iran) 224

Dietary arginine requirement of juvenile blunt snout bream, *Megalobrama amblycephala*
M. Ren, Y. Liao, J. Xie, B. Liu, Q. Zhou, X. Ge, H. Cui, L. Pan and R. Chen (Wuxi, China) 229

Taurine is an essential nutrient for juvenile parrot fish *Oplegnathus fasciatus*
S.-J. Lim, D.-H. Oh, S. Khosravi, J.-H. Cha, S.-H. Park (Jeju, South Korea), K.-W. Kim (Pohang, South Korea) and K.-J. Lee (Jeju, South Korea) 274

Dietary protein requirements of the juvenile swimming crab, *Portunus trituberculatus*
M. Jin, Q.-C. Zhou, W. Zhang, F.-J. Xie, J.-K. ShenTu and X.-L. Huang (Ningbo, China) 303

Physiology and Endocrinology: Fish

Study of pufferfish (*Takifugu niphobles*) sperm: Development of methods for short-term storage, effects of different activation media and role of intracellular changes in Ca^{2+} and K^+ in the initiation of sperm motility
V. Gallego (Valencia, Spain; Miura, Japan), L. Pérez, J.F. Asturiano (Valencia, Spain) and M. Yoshida (Miura, Japan) 82

Effects of light intensity on growth, immune response, plasma cortisol and fatty acid composition of juvenile *Epinephelus coioides* reared in artificial seawater
T. Wang, Y. Cheng, Z. Liu, S. Yan and X. Long (Nanjing, PR China) 135

Do transparent exopolymeric particles (TEP) derived from *Phaeocystis globosa* bloom impact the physiological performances of European sea bass juveniles
R. Amara, I. Filipuci, D. Vincent, F. Goulard and E. Breton (Lille, Wimereux, France) 149

Administration of 17α-hydroxyprogesterone into mature male Japanese eel reduces sperm motility by decreasing potassium ion concentrations in the seminal plasma
A. Miura (Nara, Japan), K. Nomura (Mie, Japan), H. Imaizumi, T. Jinbo, Y. Masuda (Kagoshima, Japan), H. Tanaka (Mie, Japan) and H. Ohta (Nara, Japan) 217

Stress responses in Arctic char (*Salvelinus alpinus* L.) during hyperoxic carbon dioxide immobilization relevant to aquaculture
E. Sandblom, H. Seth, H. Sundh, K. Sundell, M. Axelsson (Göteborg, Sweden) and A. Kiessling (Umeå, Sweden) 254

Physiology and Endocrinology: Molluscs and Crustaceans

Energy balance of spermatophores and sperm viability during the molt cycle in intact and bilaterally eyestalk ablated male Pacific white shrimp *Litopenaeus vannamei*
G. Vázquez-Islas, I.S. Racotta, A. Robles-Romo and R. Campos-Ramos (La Paz, Mexico) 1

Photobiology and growth of leather coral *Sarcophyton* cf. *glaucum* fragments stocked under low light in a recirculated system
R.J.M. Rocha, R. Calado (Aveiro, Portugal), P. Cartaxana (Lisboa, Portugal), J. Furtado and J. Serôdio (Aveiro, Portugal) ... 235

Production Science

Evaluation of Ovaprim and human chorionic gonadotropin doses on spawning induction and egg and larval quality of pinfish, *Lagodon rhomboides*
M.A. DiMaggio, J.S. Broach and C.L. Ohs (Gainesville, Fort Pierce, FL, USA) 9

Effect of acoustic environment on gilthead sea bream (*Sparus aurata*): Sea and onshore aquaculture background noise
F. Filiciotto, V.M. Giacalone (Granitola, Italy), F. Fazio (Messina, Italy), G. Buffa (Granitola, Italy), G. Piccione, (Messina, Italy) V. Maccarrone, V. Di Stefano, S. Mazzola and G. Buscaino (Granitola, Italy) 36

Thermal conditions during larval pelagic phase influence subsequent somatic growth of Senegalese sole by modulating gene expression and muscle growth dynamics
C. Campos (Porto, Portugal; Bodø, Norway; Faro, Portugal), J.M.O. Fernandes (Bodø, Norway), L.E.C. Conceição, S. Engrola (Faro, Portugal), V. Sousa and L.M.P. Valente (Porto, Portugal) 46

Variations in larval morphology and their relationships to survival during mass seed production by the swimming crab, *Portunus trituberculatus* (Brachyura, Portunidae)
S. Dan (Okayama, Japan), T. Kaneko, S. Takeshima (Tokyo, Japan), M. Ashidate (Okayama, Japan) and K. Hamasaki (Tokyo, Japan) 109

Seasonal- and depth-dependent growth of cultivated kelp (*Saccharina latissima*) in close proximity to salmon (*Salmo salar*) aquaculture in Norway
A. Handå, S. Forbord, X. Wang, O.J. Broch, S.W. Dahle, T.R. Størseth, K.I. Reitan, Y. Olsen and J. Skjermo (Trondheim, Norway) 191

Marine finfish effluent bioremediation: Effects of stocking density and temperature on nitrogen removal capacity of *Chondrus crispus* and *Palmaria palmata* (Rhodophyta)
J.K. Kim, J. Duston (Truro, NS, Canada), P. Corey (Truro, Harbour, NS, Canada) and D.J. Garbary (Antigonish, NS, Canada) ... 210

Effects of ploidy and gear on the performance of cultured oysters, *Crassostrea virginica*: Survival, growth, shape, condition index and *Vibrio* abundances
W.C. Walton, F.S. Rikard, G.I. Chaplin (AL, USA), J.E. Davis (AL, SC, USA), C.R. Arias (AL, USA) and J.E. Supan (LA, USA) ... 260

Effects of light regime on diurnal plasma melatonin levels and vertical distribution in farmed Atlantic cod (*Gadus morhua* L.)
O.F. Skulstad (Matredal, Norway), J. Taylor, A. Davie, H. Migaud (Stirling, UK), T. Kristiansen (Storebø, Norway), I. Mayer (Oslo, Norway), G.L. Taranger, R.E. Olsen (Matredal, Norway) and Ø. Karlsen (Storebø, Norway) 280

Grazers improve health of coral juveniles in *ex situ* mariculture
T.C. Toh, C.S.L. Ng, J. Guest and L.M. Chou (Singapore, Republic of Singapore) 288

Aquafeed imprint on bogue (*Boops boops*) populations and the value of fatty acids as indicators of aquaculture-ecosystem interaction: Are we using them properly?
B. Ramírez, D. Montero, M. Izquierdo and R. Haroun (Las Palmas, Spain) 294

Sustainability and Society

Interference of cage fish farm on diet, condition factor and numeric abundance on wild fish in a Neotropical reservoir
I.P. Ramos, H. Brandão, A.S. Zanatta, E.d.O.P. Zica, R.J. da Silva, D.M.M. de Rezende-Ayroza and E.D. Carvalho (São Paulo, Brazil) 56

Feed and fishmeal use in the production of carp and tilapia in China
A. Chiu(Stanford, CA, USA), L. Li, S. Guo, J. Bai (Beijing, China), C. Fedor and R.L. Naylor (Stanford, CA, USA) 127

Economically feasible options for increased women participation in Kenyan aquaculture value chain
L.Z.B. Ndanga, K.K. Quagrainie and J.H. Dennis (West Lafayette, IN, United States) 183

Organic aquaculture in China: A review from a global perspective
B. Xie, J. Qin, H. Yang, X. Wang, Y.-H. Wang (Nanjing, PR China) and T.-Y. Li (Lianyungang, PR China) 243

Reproduction of hatchery-produced meagre *Argyrosomus regius* in captivity I. Description of the annual reproductive cycle
C.C. Mylonas, N. Mitrizakis, M. Papadaki and I. Sigelaki (Iraklion, Greece) 309

Reproduction of hatchery-produced meagre *Argyrosomus regius* in captivity II. Hormonal induction of spawning and monitoring of spawning kinetics, egg production and egg quality
C.C. Mylonas, N. Mitrizakis, C.A. Castaldo, C.P. Cerviño, M. Papadaki and I. Sigelaki (Iraklion, Greece) 318